INDEX

Page

Acidity, initial, effect on calcium and magnesium requirements of tobacco in aseptic culture. Robert A. Steinberg 251–258
Alternaria—
blight, cause of low germination in certain radish seed crops. D. M. McLean 71–79
spp. isolated from radish seeds in Michigan 74–75
Amino acids, toxicity to tobacco seedlings in culture 84–88, 90–91
Aphanomyces cochlioides, growth rate, determination 163–164
ARTSCHWAGER, ERNST: Pollen Degeneration in Male-Sterile Sugar Beets, with Special Reference to the Tapetal Plasmodium 191–197
Ascochyta—
blight, symptoms on peas 183–185
pinodella, resistance of *Lathyrus* spp. and *Pisum* spp. to. J. L. Weimer 181–190

Bacillus pumilus strains, effect on growth of Xanthi Turkish tobacco seedlings 202–204
Bacteria, soil, diffusates of, effect on growth of tobacco seedlings in aseptic culture. Robert A. Steinberg 199–206
BEATH, O. A., and ROSENFELD, IRENE: Congenital Malformations of Eyes of Sheep 93–103
Beet—
leafhopper population—
distribution, nature of 261–263
distribution, relation to experimental field-plot lay-out. Myles F. Bowen 259–278
estimation, experimental error, reduction 268–274
migrant, early season 261–263, 266–268, 271–273
resident, later season 263–266, 268, 273–274
variation between and within plots 266–268
leafhoppers, number on beet, 360 field samples 264
mosaic—
control in Puget Sound region 38–39
in Pacific Northwest. Glenn S. Pound 31–41
symptoms and host range in Pacific Northwest 32–36
virus, properties 36–37
virus, transmission 37–38
Beets, seed crops, damage by mosaic 31, 39
BENNETT, EMMETT: The Hemicelluloses of Maize Cobs and Rye Straw 43–47
Beta vulgaris. *See* Beet; Sugar beets.
Bouteloua eriopoda. *See* Grama, black.
BOWEN, MYLES F.: Population Distribution of the Beet Leafhopper in Relation to Experimental Field-Plot Lay-Out 259–278
BOWLING, J. D., MCMURTREY, J. E., JR., BROWN, D. E., and ENGLE, H. B.: Effects of Controlled Soil Moisture on Growth, Composition, Yield, and Quality of Maryland Tobacco 215–249
Brassica oleracia var. *capitata*. *See* Cabbage.
Brome, mountain, strains, reaction to head smut (*Ustilago bullata*). E. J. Kreizinger, George W. Fischer, and A. G. Law 105–111
Bromus marginatus. *See* Brome, mountain.
BROWN, D. E., MCMURTREY, J. E., JR., BOWLING, J. D., and ENGLE, H. B.: Effects of Controlled Soil Moisture on Growth, Composition, Yield, and Quality of Maryland Tobacco 215–249
Browse plants, range, nonprotein and carotene index 63–69

Page

Cabbage—
blackleg organism. *See Phoma lingam*.
mosaic—
symptom severity and type, varietal differences 22–25
symptoms, effect of air temperatures 25
varieties—
reactions to mosaic viruses. Glenn S. Pound 19–30
susceptibility to mosaic, comparisons 22–23, 26, 27
Calcium requirement of tobacco in aseptic culture, effect of initial acidity. Robert A. Steinberg 251–258
Carotene, index of plant activity in range forage. W. E. Watkins 63–69
CARROLL, W. E., FAIRBANKS, B. W., KRIDER, J. L., and CATRON, DAMON: Value of Soybean Meal Prepared from Frosted-Field-Damaged Soybeans for Growing-Fattening Swine 155–159
CARTWRIGHT, W. B.: Studies on Biological Races of the Hessian Fly. With W. B. Noble 147–153
CATRON, DAMON, FAIRBANKS, B. W., KRIDER, J. L., and CARROLL, W. E.: Value of Soybean Meal Prepared from Frosted-Field-Damaged Soybeans for Growing-Fattening Swine 155–159
Chard, mosaic-infected, effect of isolation of stecklings beds 39
Corncobs, hemicelluloses 43–46
Cottonseed—
chemical composition after storage 57
kernels—
contents after storage 55–56, 58
protein solubility after storage 59
meal, protein solubility after storage 59
oil, contents after storage 52–54
storage under conditions minimizing changes in chemical composition. Mack F. Stanbury and John D. Guthrie 49–61

Damping-off—
host and pathogen, growth rate as factor determining severity of preemergence damping-off. L. D. Leach 161–176
preemergence—
effect of temperature 164–177
severity, determination by growth rates of host and pathogen. L. D. Leach 161–179
Dropseed, mesa—
nonprotein and carotene content, index of plant activity 64–69
protein, nonprotein, and carotene content 65
Durras, effect of short photoperiod 297–300

Elymus canadensis strains, reaction to head smut 105–111
ENGLE, H. B., MCMURTREY, J. E., JR., BOWLING, J. D., and BROWN, D. E.: Effects of Controlled Soil Moisture on Growth, Composition, Yield, and Quality of Maryland Tobacco 215–249
Eutettix tenellus. *See* Beet leafhopper.
Ewes, feeding on seleniferous vegetation, effects on offspring 93–102
Eyes—
malformed, of lambs—
gross changes 94–98
histological changes 98–102
of sheep, congenital malformations. Irene Rosenfeld and O. A. Beath 93–103

Page

FAIRBANKS, B. W., KRIDER, J. L., CATRON, DAMON, and CARROLL, W. E.: Value of Soybean Meal Prepared from Frosted-Field-Damaged Soybeans for Growing-Fattening Swine ... 155–159
FELLOWS, HURLEY, and SLAGG, C. M.: Effects of Certain Soil Fungi and Their Byproducts on *Ophiobolus graminis* ... 279–293
Feteritas, effect of short photoperiod ... 297–300
Field-plot lay-out, experimental, relation of distribution of beet leafhopper population to. Myles F. Bowen ... 259–278
FINEMAN, ZOLA M.: Elimination and Retention of Pollen Sterility in Potato Improvement ... 135–145
FISCHER, GEORGE W., KREIZINGER, E. J., and LAW, A. G.: Reaction of Mountain Brome and Canada Wild-Rye Strains to Head Smut (*Ustilago bullata*) ... 105–111
Forage, range, plant activity, nonprotein and carotene index. W. E. Watkins ... 63–69
Fungi—
damping-off, growth rates, determination ... 163–164
soil, effects on *Ophiobolus graminis*. C. M. Slagg and Hurley Fellows ... 279–293

Germination, low, in radish seed crops, caused by alternaria blight. D. M. McLean ... 71–79
Grama, black—
nonprotein and carotene content, index of plant activity ... 64–69
protein, nonprotein, and carotene content ... 65
Grasses, range, nonprotein and carotene index ... 63–69
GUTHRIE, JOHN D., and STANSBURY, MACK F.: Storage of Cottonseed and Peanuts under Conditions Which Minimize Changes in Chemical Composition ... 49–61

Head smut (*Ustilago bullata*), reaction of mountain brome and Canada wild-rye to. E. J. Kreizinger, George W. Fischer, and A. G. Law ... 105–111
Hegaris, effect of short photoperiod ... 297–300
Hemicelluloses of maize cobs and rye straw. Emmett Bennett ... 43–47
Hessian fly—
biological races, studies. W. B. Cartwright and W. B. Noble ... 147–153
populations isolated geographically, races ... 147–148
races, host-restricted ... 148–152
HEUER, JOHN H., and LOOMIS, H. F.: Use of Lanolin and Other Unguents for Improving Budding in *Hevea* Rubbertrees ... 207–213
Hevea—
brasiliensis. *See* Rubbertrees, *Hevea*.
rubbertree. *See* Rubbertrees, *Hevea*.
HOUGHLAND, G. V. C.: Minimum Phosphate Requirement of Potato Plants Grown in Solution Cultures ... 1–18

Irrigation, effects on tobacco ... 217–248
dl-Isoleucine, effect on tobacco seedling growth in culture ... 85–88

Kafirs, effect of short photoperiod ... 297–300
Kalos, effect of short photoperiod ... 297–300
KARPER, R. E., and QUINBY, J. R.: The Effect of Short Photoperiod on Sorghum Varieties and First Generation Hybrids ... 295–300
KREIZINGER, E. J., FISCHER, GEORGE W., and LAW, A. G.: Reaction of Mountain Brome and Canada Wild-Rye Strains to Head Smut (*Ustilago bullata*) ... 105–111
KRIDER, J. L., FAIRBANKS, B. W., CATRON, DAMON, and CARROLL, W. E.: Value of Soybean Meal Prepared from Frosted-Field-Damaged Soybeans for Growing-Fattening Swine ... 155–159

Lanolin, use for improving budding in *Hevea* rubbertrees. John H. Heuer and H. F. Loomis ... 207–213

Page

Lathyrus—
hirsutus, immunity to *Ascochyta pinodella* and *Mycosphaerella pinodes* ... 188
spp., resistance to *Ascochyta pinodella* and *Mycosphaerella pinodes*. J. L. Weimer ... 181–190
LAW, A. G., KREIZINGER, E. J., and FISCHER, GEORGE W.: Reaction of Mountain Brome and Canada Wild-Rye Strains to Head Smut (*Ustilago bullata*) ... 105–111
LEACH, L. D.: Growth Rates of Host and Pathogen as Factors Determining the Severity of Preemergence Damping-Off ... 161–179
Leafhopper, beet. *See* Beet leafhopper.
LOOMIS, H. F., and HEUER, JOHN H.: Use of Lanolin and Other Unguents for Improving Budding in *Hevea* Rubbertrees ... 207–213

Magnesium requirement of tobacco in aseptic culture, effect of initial acidity. Robert A. Steinberg ... 251–258
Maize cobs, hemicelluloses. Emmett Bennett ... 43–47
Male-sterility, noncytoplasmically inherited type ... 195
Mangel, mosaic-infected, effect of isolation of steckling beds ... 39
McLEAN, D. M.: Alternaria Blight and Seed Infection, a Cause of Low Germination in Certain Radish Seed Crops ... 71–79
McMURTREY, J. E., JR., BOWLING, J. D., BROWN, D. E., and ENGLE, H. B.: Effects of Controlled Soil Moisture on Growth, Composition, Yield, and Quality of Maryland Tobacco ... 215–249
Michigan, radish seeds, low germination due to *Alternaria* ... 71–79
Milos, effect of short photoperiod ... 297–300
Mosaic viruses, reactions of cabbage varieties. Glenn S. Pound ... 19–30
Mycosphaerella pinodes, resistance of *Lathyrus* spp. and *Pisum* spp. to. J. L. Weimer ... 181–190

New Mexico, range forage, nonprotein and carotene index ... 63–69
Nicotiana tabacum. *See* Tobacco.
Nitrogen, nonprotein, index of plant activity in range forage ... 63–69
NOBLE, W. B.: Studies on Biological Races of the Hessian Fly. With W. B. Cartwright ... 147–153
Nonprotein index of plant activity in range forage. W. E. Watkins ... 63–69

Ophiobolus graminis, effects of soil fungi and their byproducts on. C. M. Slagg and Hurley Fellows ... 279–293
Organic compounds, effect on growth of tobacco seedlings in aseptic culture. Robert A. Steinberg ... 81–92

Pacific Northwest, beet mosaic. Glenn S. Pound ... 31–41
Peanut kernels—
analyses after storage ... 60
oil content, analyses after storage ... 59
Peanuts, storage under conditions minimizing changes in chemical composition. Mack F. Stansbury and John D. Guthrie ... 49–61
Peas—
garden—
growth rate, effect on severity of preemergence damping-off ... 163–178
infection by *Pythium ultimum*, effect of temperature ... 168
seedling emergence rates, determination ... 162–163
varieties and strains very susceptible to *Ascochyta pinodella* and *Mycosphaerella pinodes*, list ... 185–188
Peptones, effect on tobacco seedling growth in culture ... 89
Phoma—
betae, growth rate—
determination ... 163–164
effect on severity of preemergence damping-off ... 163–178

Page

Phoma—Continued
lingam—
Puget Sound variant, description 131-132
Puget Sound variant, study 113-132
strains—
cultural characters 116-121
isolation 115-116
morphology 123-124
pathogenicity 124-130
stability 121-123
variability. Glenn S. Pound 113-133
Phosphate, minimum requirement of potato plants grown in solution cultures. G. V. C. Houghland 1-18
Phosphorus absorbed by potato plants. 8, 13, 14, 15-16
Photoperiod, short, effect on sorghum varieties and first-generation hybrids. J. R. Quinby and R. E. Karper 295-300
Phytophaga destructor. *See* Hessian fly.
Pigs—
feeding meal from frosted-field-damaged soybeans 155-159
rations at different live weights 156
Pisum—
sativum varieties and strains very susceptible to *Aschochyta pinodella* and *Mycosphaerella pinodes*, lists 185-188
spp.—
resistance to *Ascochyta pinodella* and *Mycosphaerella pinodes*. J. L. Weimer 181-190
slightly resistant to *Ascochyta pinodella* and *Mycosphaerella pinodes* 188
Plant activity in range forage, nonprotein and carotene index. W. E. Watkins 63-69
Pollen—
abortion, male-sterile sugar beets 192-195
degeneration in—
male-sterile sugar beets, with special reference to tapetal plasmodium. Ernst Artschwager 191-197
semi-male-sterile sugar beets 195-196
sterility, elimination and retention in potato improvement. Zola M. Fineman 135-145
Potato—
improvement, elimination and retention of pollen sterility. Zola M. Fineman 135-145
plants—
breeding behavior 139-143
grown in solution cultures, minimum phosphate requirement. G. V. C. Houghland 1-18
sterile-pollen and fertile-pollen, characteristics 135-138
Potatoes, pollen sterility, elimination and retention for improvement. Zola M. Fineman 135-145
POUND, GLENN S.:
Beet Mosaic in the Pacific Northwest 31-41
Reactions of Cabbage Varieties to Mosaic Viruses 19-30
Variability in *Phoma lingam* 113-133
Purines, effect on tobacco seedling growth in culture 89
Pyrimidines, effect on tobacco seedling growth in culture 89
Pythium—
growth rate, effect on severity of preemergence damping-off 163-178
ultimum, growth rate, determination 163-164

QUINBY, J. R., and KARPER, R. E.: The Effect of Short Photoperiod on Sorghum Varieties and First Generation Hybrids 295-300

Radish seed crops, low germination, effect of alternaria blight and seed infection. D. M. McLean 71-79
Range forage, plant activity, nonprotein and carotene index. W. E. Watkins 63-69
Raphanus sativus seed crops, low germination, effect of alternaria blight and seed infection 71-79
Rhizoctonia—
growth rate, effect on severity of preemergence damping-off 416-178
solani, growth rate, determination 163-64

Page

ROSENFELD, IRENE, and BEATH, O. A.: Congenital Malformations of Eyes of Sheep 93-103
Rubbertrees, *Hevea*—
budding, improvement by use of lanolin and other unguents. John H. Heuer and H. F. Loomis 207-213
buddings in nurseries, coating with lanolin-beeswax mixture 209-210
buds—
coating with various unguents 210
sprouting, effect of lanolin-beeswax mixture 212-213
treated with lanolin mixture, effect of time of topping stocks 212
stored budwood, buds from, coating with lanolin-beeswax mixture 210-212
top-work buddings, coating with lanolin-beeswax mixture 208-209
wounds, treatment with lanolin-beeswax mixture 207
Rutabaga dry rot organism. See *Phoma lingam*.
Rye straw, hemicelluloses. Emmett Bennett 43-47

Selenium, effects on eyes of lambs 93-102
Shallu, effect of short photoperiod 297-300
Sheep, eyes, congenital malformations. Irene Rosenfeld and O. A. Beath 93-103
SLAGG, C. M., and FELLOWS, HURLEY: Effects of Certain Soil Fungi and Their Byproducts on *Ophiobolus graminis* 279-293
SMITH, LUTHER: Irregularities in a Hybrid between *Triticum durum* and *T. persicum* 301-305
Soil—
bacteria, common, diffusates of, effect on growth of tobacco seedlings in aseptic culture. Robert A. Steinberg 199-206
fungi—
byproducts, effects on *Ophiobolus graminis*. C. M. Slagg and Hurley Fellows 279-293
effects on *Ophiobolus graminis*. C. M. Slagg and Hurley Fellows 279-293
moisture, controlled, effect on growth, composition, yield and quality of Maryland tobacco. J. E. McMurtrey, Jr., J. D. Bowling, D. E. Brown, and H. B. Engle 215-249
Sorghum—
hybrids, first generation, effect of short photoperiod. J. R. Quinby and R. E. Karper 295-300
varieties, effect of short photoperiod. J. R. Quinby and R. E. Karper 295-300
Soybean meal from frosted-field-damaged soybeans, value for growing-fattening swine. B. W. Fairbanks, J. L. Krider, Damon Catron, and W. E. Carroll 155-159
Spinach—
growth rate, effect on severity of preemergence damping-off 163-178
infection by—
Pythium ultimum, effect of temperature. 164-165
Rhizoctonia solani, effect of temperature. 165-167
seedling emergence rates, determination 162-163
Sporobolus flexuosus. *See* Dropseed, mesa.
STANSBURY, MACK F., and GUTHRIE, JOHN D.: Storage of Cottonseed and Peanuts under Conditions Which Minimize Changes in Chemical Composition 49-61
STEINBERG, ROBERT A.:
Effect of Initial Acidity on Calcium and Magnesium Requirements of Tobacco in Aseptic Culture 251-258
Growth Responses of Tobacco Seedlings in Aseptic Culture to Diffusates of Some Common Soil Bacteria 199-206
Growth Responses to Organic Compounds by Tobacco Seedlings in Aseptic Culture 81-92
Storage, cottonseed and peanuts under conditions minimizing changes in chemical composition. Mack F. Stansbury and John D. Guthrie 49-61

	Page
Sugar beets—	
anther tapetum during normal microsporogenesis	192
field plot lay-out, effect on population distribution of beet leafhopper	269–277
growth rate, effect on severity of preemergence damping-off	163–178
infection by—	
Phoma betae, effect of temperature	173
Pythium ultimum, effect of temperature	168–169
Rhizoctonia solani, effect of temperature	169–173
male-sterile, pollen—	
abortion	192–195
degeneration, with special reference to tapetal plasmodium. Ernst Artschwager	191–197
seedling emergence rates, determination	162–163
semi-male-sterile, pollen degeneration	195–196
Sugars, effect on tobacco seedling, growth in culture	82–84
Swine, growing-fattening, feeding meal prepared from frosted-field-damaged soybeans. B. W. Fairbanks, J. L. Krider, Damon Catron, and W. E. Carroll	155–159
Tapetum, anther, of sugar beets during normal microsporogenesis	192
Temperature, effect on preemergence damping-off	164–177
Tobacco—	
acidity—	
effect on calcium requirement	254
effect on magnesium requirement	254
initial, effect on calcium and magnesium requirements in aseptic culture. Robert A. Steinberg	251–258
calcium and magnesium requirements in aseptic culture, effect of initial acidity. Robert A. Steinberg	251–258
effect of soil moisture—	
biochemical studies	231–236
physical measurements	222–231
frenching, cause	205–206
grown with and without water, fire-holding capacity	246
Maryland, growth, composition, yield, and quality, effects of controlled soil moisture. J. E. McMurtrey, Jr., J. D. Bowling, D. E. Brown, and H. B. Engle	215–249
seedlings in aseptic culture, growth responses to—	
diffusates of some common soil bacteria. Robert A. Steinberg	199–206
Tobacco—Continued	
seedlings in aseptic culture—Continued	
organic compounds. Robert A. Steinberg	81–92
Xanthi Turkish—	
growth, effect of strains of *Bacillus pumilus*	202–204
inoculation with pathogenic and nonpathogenic bacteria, effects	200–204
yields, value, and quality, effect of soil moisture	236–246
Triticum durum × *T. persicum* hybrid, irregularities. Luther Smith	301–305
Unguents for improving budding in *Hevea* rubbertrees. John H. Heuer and H. F. Loomis	207–213
Ustilago bullata—	
races, virulence, comparison	106–109
reaction of mountain brome and Canada wild-rye to. E. J. Kreitzinger, George W. Fischer, and A. G. Law	105–111
Vitamins, effect on tobacco seedling growth in culture	89
Washington, cabbage varieties, reactions to mosaic viruses	19–29
Watermelon—	
infection by—	
Pythium ultimum, effect of temperature	174
Rhizoctonia solani, effect of temperature	174–176
seedling emergence rates, determination	162–163
Watermelons, growth rate, effect on severity of preemergence damping-off	163–178
WATKINS, W. E.: Nonprotein and Carotene as an Index of Plant Activity in Range Forage	63–69
WEIMER, J. L.: Resistance of *Lathyrus* spp. and *Pisum* spp. to *Ascochyta pinodella* and *Mycosphaerella pinodes*	181–190
Wheat—	
breeding for resistance to hessian fly, factor of biological races	147–152
cross between two tetraploid species, irregularities	301–305
growth rate, effect on severity of preemergence damping-off	163–178
seedling emergence rates, determination	162–163
varieties, restriction to hessian fly races	148–152
Wild-rye, Canada, strains, reaction to head smut (*Ustilago bullata*). E. J. Kreitzinger, George W. Fischer, and A. G. Law	105–111

Page

81–92

202–204

200–204

236–246

301–305

207–212

106–109

105–111

89

19–29

174

174–176

162–163

163–178

63–69

181–190

147–152

301–305

163–178

162–163

148–152

105–111